



www.bluworldusa.com

WATER WONDERS®

Watergarden

Instructions for Use



Water Feature Light (A)



Light Transformer (B)



Plants (C)



Pump (D) Photo may vary



3 Wall Anchors (E)



Splash Guard (F)



Wall Bracket (G)



Watergarden Assembly:

Tools Required:
Level
Pencil
Phillips Screwdriver
Measuring Tape



Decide where you would like to install your Water Feature.

**** It is critical that your waterfall is level as this will ensure even water flow. ****

- a. If you so choose to mount your Watergarden on the wall, due to the relatively light weight nature of your new Water Feature, it is not necessary to mount it directly into wall studs.
- b. We recommend you install your waterfall above an electrical outlet. A Ground Fault Circuit Interrupter (GFCI) outlet with an internal circuit breaker is preferred.

1. Marking the Waterfall Location for Mounting on a Wall (For 48" model only).

If you choose not to mount the Watergarden to a wall, please go to section '3' (Installing and Operating your Water Feature).

- a. Locate your Level.
- b. Draw a line on the wall indicating the top of the waterfall. See Fig 1.A. Measure the distance between the top of your fountain and the center of the wall bracket. Use those measurements and on the wall, draw a line down from the line made in Fig 1.A to indicate your mounting location. See Fig 1.B.



1.A



1.B

- c. Using a level, hold the Wall Bracket (G) to the wall with the top angled towards you. Mark both mounting holes on the wall. Remember to double-check your level. See Fig 1.C. & 1.D



1.C



1.D

2. Mounting the Wall Bracket

- a. To install the 3 x EZ Anchors™ (I), gently tap or press the tip into the drywall and slowly screw the anchors into the wall. If you encounter a wall stud while installing an EZ Anchor™ (I), use the mounting screw without the anchor. Make sure the flat side of the anchor is flush with the wall. Do not over-tighten the anchors as this will render them ineffective, as well as damage the drywall. See Fig 2.A & 2.B. We only suggest using the provided EZ Anchors™ (I) since each EZ Anchor™ (I) has a weight capacity of up to 50 pounds. Plastic anchors are not an acceptable substitute.
- b. Install the Wall Bracket (G) using the 3 x 1" screws provided. Fig 2.C illustrates a correctly installed wall bracket.



2.A



2.B



2.C

3. Installing and Operating your Water Feature

- a. Unwind the Pump and Valve (F) (Now to be referred to as “pump”) and Water Feature Light and Transformer (A&B) power cords and run them behind the half circular cut behind the reservoir as shown in Fig 3. A.



3.A

- b. Connect the Fountain Light (A) to the Transformer (B) as shown in Fig. 3.B.



3.B

- c. Lift your waterfall into place and engage the bracket on the back of the fountain by lowering it onto the Wall Bracket (F) as shown in Fig 3.C.



3.C

- d. After mounting your water feature to the wall, you can now start to connect the Pump (F). Install the Pump and Quick Connect Valve (D) as shown below. Simply attach the valve by engaging the receiver and twisting into position. See Fig 3.A & 3.B



3.A



3.B

- e. Position your Water Feature Lights (A) as shown in Fig 3.D- 3.F.



3.D



3.E



3.F

- f. Fill the reservoir with water. We recommend filling the water up to the bottom of the

mirror frame to minimize the risk of micro splashing. The water level must be maintained at least 1/2" above the pump. If the water level drops below the pump, damage to the pump may occur and void your warranty.

- g. After filling the reservoir with water, install Splash Guard (G) into grooves on each side of the frame below the disperser (grey pipe) as shown in fig 3.G – 3.H.



3.G



3.H

- h. You can now plug the pump into the wall. As water begins to flow down the surface, guide the water with your hand or use a non-abrasive sponge until the water flows evenly over the entire waterfall surface. It may take a few minutes for the water to cover the entire waterfall surface.
- i. Install plants into pipettes as shown in Figures 3.I-3.J.



3.I



3.J

Please refer to supplementary Maintenance Guide for further information as to how to keep your water feature clean and looking beautiful for many years

Warranty

Bluworld product is warranted against defects that render it unfit for its reasonably intended use. This Warranty is not extended to cover use of the product for a purpose other than as intended, and if the product is used unreasonably, or for purposes other than as intended, or if it is altered, modified or repaired by a party other than Bluworld, then the Warranty shall be null and void. The Warranty is in effect for a period of six months beginning from the date of sale to the original retail purchaser and the rights under this Warranty are limited to the original retail purchaser. Bluworld will, upon written notification thereof, take commercially reasonable steps to correct such defects (see "manufacturers defects below"), at Bluworld's sole option, by suitable repair, replacement, or refund. Bluworld will not be responsible for the installation, labor or any other costs or expenses related to the re-installation of a warranted part, and such expenses are not covered by this warranty. THIS LIMITED WARRANTY IS EXCLUSIVE AND IN LIEU OF ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OTHER WARRANTY OF QUALITY, WHETHER EXPRESS OR IMPLIED, EXCEPT FOR THE WARRANTY OF TITLE AGAINST PATENT INFRINGEMENT. Corrections of nonconformities, in the manner and for the period of time provided above, shall constitute fulfillment of all liabilities of Bluworld to any Dealer with respect to the goods, whether based on contract, negligence, and strict tort or otherwise. Bluworld contract sales personnel, including but not limited to authorized Dealers and Resellers (collectively, "Sales Personnel"), are not authorized to make warranties about Bluworld merchandise. ORAL STATEMENTS DO NOT CONSTITUTE WARRANTIES. Oral statements made by Bluworld employees or other Sales Personnel shall not be relied upon by a Dealer and shall not become part of any contract for sale. The entire sales contract between a Dealer and Bluworld will be set forth in the invoice and/or accompanying or reference documents provided by Bluworld to the Dealer or Sales Personnel. No other warranties are given beyond those set forth in those documents. Please be aware that you may have valuable rights under the state law in which you reside. Some of the provisions of this Warranty may be prohibited by your state law in which case your state law will govern and control. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you. This Warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Our products are warranted for a period of six months against defects in finish, pumps and other product performance issues. Light bulbs are not warranted. Our experience has shown that in practically 100% of incidents that any defect is apparent within a week of installation and use. Appearance defects should be noticed upon unpacking the fountain. We have found that finishes have 'failed' due to poor maintenance, local water conditions with minerals affecting the finish, attempts to clean with harsh chemicals or abrasive pads being used. Performance of water flow, spitting, and other 'leaks', are usually caused by debris getting into the fountain, buildup of minerals, algae from poor water or lack of maintenance. Pumps can also fail due to water levels not being maintained in the reservoir and this is not covered by the warranty.

Manufacturers Defect defined - A distinct and obvious flaw in the manufacturing of the product that inhibits the product's ability to function properly or a distinct and obvious flaw in the workmanship of the product that affects its physical appearance. Bluworld water features are manufactured under generally accepted manufacturing techniques as recognized by the International Organization of Standardization. Our products are hand made and hand finished thus minor scratches in materials within accepted ranges are not considered defects.

Slate- Many of our products contain natural slate. Slate can vary to a large degree and that individuality is what is considered to be unique and inherent to the beauty of the natural product as no two are exactly alike. Photos in our marketing materials are representative of our slate products but should not be relied on to duplicate the photo. We use natural mined slate in our products. Personal taste in the appearance of slate is not considered a reason for a return.